Freeform Search

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

(20020062387 or (6449709 or 5812754).pn.) and 17

Term:

Display:

15 Documents in Display Format: Starting with Number

Generate: C Hit List 6 Hit Count C Side by Side C Image

Search Clear Interrupt

Search History

DATE: Wednesday, November 09, 2005 Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set
DB=PC	GPB, USPT; PLUR=NO; OP=ADJ	•	
<u>L8</u>	(20020062387 or (6449709 or 5812754).pn.) and 17	3	<u>L8</u>
<u>L7</u>	12 or L5	5	<u>L7</u>
DB=Pc	GPB; PLUR=NO; OP=ADJ		
<u>L6</u>	12 or L5	2	<u>L6</u>
<u>L5</u>	20020062387 or 20020062454	2	<u>L5</u>
<u>L4</u>	yatziv.in.	3	<u>L4</u>
<u>L3</u>	2002062387 or 2002062454	0	<u>L3</u>
DB=Pc	GPB,USPT; PLUR=NO; OP=ADJ		
<u>L2</u>	2002062387 or 2002062454 or (6449709 or 5822782 or 5812754).pn.	. 3	<u>L2</u>
DB=PC	GPB; PLUR=NO; OP=ADJ		
<u>L1</u>	20040236908	1	<u>L1</u>

Refine Search

Search Results -

Terms	Documents
L21 and L22	2

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

Database:

L23			# ID-F C
		7	ikenile zesi







Search History

Set Name Query side by side		Hit Count S	Set Name result set
•	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=NO; OP=ADJ		
<u>L23</u>	121 and L22	2	<u>L23</u>
<u>L22</u>	20050216624 or 20050188257	4	<u>L22</u>
<u>L21</u>	116 and L20	4	<u>L21</u>
<u>L20</u>	conver\$7 same (serial adj interface)	3462	<u>L20</u>
<u>L19</u>	conver\$7 same serial	202823	<u>L19</u>
<u>L18</u>	disk same controller same (interfaCE near3 different)	98	<u>L18</u>
<u>L17</u>	disk same controller same (interfaCE near5 different)	169	<u>L17</u>
<u>L16</u>	disk same controller same (interfaCE with different)	429	<u>L16</u>
<u>L15</u>	disk same controller same ((interfaCE near2 type) with different)	5	<u>L15</u>
<u>L14</u>	L13 not l11	1	<u>L14</u>
<u>L13</u>	disk same controller same (interfaCE near2 type with different)	5	<u>L13</u>
DB=P	GPB,USPT; PLUR=NO; OP=ADJ		
<u>L12</u>	disk same controller same (interfaCE near2 type with different)	5	<u>L12</u>
<u>L11</u>	disk same controller same L10	4	<u>L11</u>

<u>L10</u>	different near5 L9	551	<u>L10</u>
<u>L9</u>	interfaCE near2 type	16731	<u>L9</u>
<u>L8</u>	(20020062387 or (6449709 or 5812754).pn.) and 17	3	<u>L8</u>
<u>L7</u>	12 or L5	5	<u>L7</u>
DB=P	PGPB; PLUR=NO; OP=ADJ		
<u>L6</u>	12 or L5	2	<u>L6</u>
<u>L5</u>	20020062387 or 20020062454	2	<u>L5</u>
<u>L4</u>	yatziv.in.	3	<u>L4</u>
<u>L3</u>	2002062387 or 2002062454	0	<u>L3</u>
DB=P	PGPB,USPT; PLUR=NO; OP=ADJ		
<u>L2</u>	2002062387 or 2002062454 or (6449709 or 5822782 or 5812754).pn.	3	<u>L2</u>
DB=P	PGPB; PLUR=NO; OP=ADJ		
<u>L1</u>	20040236908	1	L1

Freeform Search

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:

disk and controller and L25

Display: 15 Documents in <u>Display Format</u>: CIT,AB Starting with Number 1

Generate: O Hit List O Hit Count O Side by Side O Image



Search History

Set Nam	<u>e Query</u>	Hit Count S	<u>Set Name</u>
side by sid	le		result set
DB=U	ISPT; PLUR=NO; OP=ADJ		
<u>L26</u>	disk and controller and L25	6	<u>L26</u>
<u>L25</u>	119 and L24	55	<u>L25</u>
<u>L24</u>	Morita.in.	3647	<u>L24</u>
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=NO; OP=ADJ		
<u>L23</u>	121 and L22	2	<u>L23</u>
<u>L22</u>	20050216624 or 20050188257	4	<u>L22</u>
<u>L21</u>	116 and L20	4	<u>L21</u>
<u>L20</u>	conver\$7 same (serial adj interface)	3462	<u>L20</u>
<u>L19</u>	conver\$7 same serial	202823	<u>L19</u>
<u>L18</u>	disk same controller same (interfaCE near3 different)	98	<u>L18</u>
<u>L17</u>	disk same controller same (interfaCE near5 different)	169	<u>L17</u>
<u>L16</u>	disk same controller same (interfaCE with different)	429	<u>L16</u>
<u>L15</u>	disk same controller same ((interfaCE near2 type) with different)	5	<u>L15</u>
<u>L14</u>	L13 not l11	1	<u>L14</u>
<u>L13</u>	disk same controller same (interfaCE near2 type with different)	5	<u>L13</u>
DB=P	GPB, USPT; PLUR=NO; OP=ADJ		

<u>L12</u>	disk same controller same (interfaCE near2 type with different)	5	<u>L12</u>
<u>L11</u>	disk same controller same L10	4	<u>L11</u>
<u>L10</u>	different near5 L9	551	<u>L10</u>
<u>L9</u>	interfaCE near2 type '	16731	<u>L9</u>
<u>L8</u>	(20020062387 or (6449709 or 5812754).pn.) and 17	3	<u>L8</u>
<u>L7</u>	12 or L5	5	<u>L7</u>
DB=P	GPB; PLUR=NO; OP=ADJ		
<u>L6</u>	12 or L5	2	<u>L6</u>
<u>L5</u>	20020062387 or 20020062454	2	<u>L5</u>
<u>L4</u>	yatziv.in.	3	<u>L4</u>
<u>L3</u>	2002062387 or 2002062454	0	<u>L3</u>
DB=P	GPB,USPT; PLUR=NO; OP=ADJ		
<u>L2</u>	2002062387 or 2002062454 or (6449709 or 5822782 or 5812754).pn.	3	<u>L2</u>
DB=P	GPB; PLUR=NO; OP=ADJ		
<u>L1</u>	20040236908	1	<u>L1</u>

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
conver\$7 with L31	68

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L32

Refine Search
Interrupt
Interrupt

Search History

Set Name Query		Hit Count S	Set Name
side by sid	e		result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=NO; OP=ADJ		
<u>L32</u>	conver\$7 with L31	68	<u>L32</u>
<u>L31</u>	sata	4645	<u>L31</u>
<u>L30</u>	l27 and L29	0	<u>L30</u>
<u>L29</u>	different near5 interface	32914	<u>L29</u>
DB=U	SPT; PLUR=NO; OP=ADJ		
<u>L28</u>	conver\$7 and L27	1	<u>L28</u>
<u>L27</u>	6037738.pn.	1	<u>L27</u>
<u>L26</u>	disk and controller and L25	6	<u>L26</u>
<u>L25</u>	119 and L24	55	<u>L25</u>
<u>L24</u>	Morita.in.	3647	<u>L24</u>
DB=P	GPB.USPT.USOC.EPAB.JPAB.DWPI.TDBD: PLUR=NO: OP=AD.I		

WEST Refine Search Page 2 of 2

<u>L23</u>	121 and L22	2	<u>L23</u>
<u>L22</u>	20050216624 or 20050188257	4	L22
<u>L21</u>	116 and L20	4	L2
<u>L20</u>	conver\$7 same (serial adj interface)	3462	<u>L20</u>
<u>L19</u>	conver\$7 same serial	202823	<u>L19</u>
<u>L18</u>	disk same controller same (interfaCE near3 different)	98	<u>L18</u>
<u>L17</u>	disk same controller same (interfaCE near5 different)	169	<u>L1'</u>
<u>L16</u>	disk same controller same (interfaCE with different)	429	<u>L10</u>
<u>L15</u>	disk same controller same ((interfaCE near2 type) with different)	5	<u>L1:</u>
<u>L14</u>	L13 not l11	1	<u>L14</u>
<u>L13</u>	disk same controller same (interfaCE near2 type with different)	5	<u>L13</u>
DB=P	GPB, USPT; PLUR=NO; OP=ADJ		
<u>L12</u>	disk same controller same (interfaCE near2 type with different)	5	<u>L12</u>
<u>L11</u>	disk same controller same L10	4	<u>L1</u>
<u>L10</u>	different near5 L9	551	<u>L10</u>
<u>L9</u>	interfaCE near2 type	16731	<u>L9</u>
<u>L8</u>	(20020062387 or (6449709 or 5812754).pn.) and 17	3	<u>L8</u>
<u>L7</u>	12 or L5	5	<u>L7</u>
DB=P	GPB; PLUR=NO; OP=ADJ		
<u>L6</u>	12 or L5	2	<u>L6</u>
<u>L5</u>	20020062387 or 20020062454	2	<u>L5</u>
<u>L4</u>	yatziv.in.	3	<u>L4</u>
<u>L3</u>	2002062387 or 2002062454	0	<u>L3</u>
DB=P	GPB, USPT; PLUR=NO; OP=ADJ		
<u>L2</u>	2002062387 or 2002062454 or (6449709 or 5822782 or 5812754).pn.	3	<u>L2</u>
DB=P	GPB; PLUR=NO; OP=ADJ		
<u>L1</u>	20040236908	1	L1

Freeform Search

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:

131 with L33 with different

7: 15 Documents in <u>Display Format</u>: - Starting with Number 1

Generate: O Hit List O Hit Count O Side by Side O Image



Search History

<u>Set Name</u>	<u>e Query</u>	Hit Count S	<u>Set Name</u>
side by side	e		result set
DB=Pc	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=NO; OP=ADJ		
<u>L34</u>	131 with L33 with different	3	<u>L34</u>
<u>L33</u>	serial adj interface	19097	<u>L33</u>
<u>L32</u>	conver\$7 with L31	68	<u>L32</u>
<u>L31</u>	sata	4645	<u>L31</u>
<u>L30</u>	127 and L29	0	<u>L30</u>
<u>L29</u>	different near5 interface	32914	<u>L29</u>
DB=U	SPT; PLUR=NO; OP=ADJ		
<u>L28</u>	conver\$7 and L27	1	<u>L28</u>
<u>L27</u>	6037738.pn.	1	<u>L27</u>
<u>L26</u>	disk and controller and L25	6	<u>L26</u>
<u>L25</u>	119 and L24	55	<u>L25</u>
<u>L24</u>	Morita.in.	3647	<u>L24</u>
DB=PC	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=NO; OP=ADJ		
<u>L23</u>	121 and L22	2	<u>L23</u>
<u>L22</u>	20050216624 or 20050188257	4	<u>L22</u>
<u>L21</u>	116 and L20	4	<u>L21</u>

<u>L20</u>	conver\$7 same (serial adj interface)	3462	<u>L20</u>
<u>L19</u>	conver\$7 same serial	202823	L19
<u>L18</u>	disk same controller same (interfaCE near3 different)	98	<u>L18</u>
<u>L17</u>	disk same controller same (interfaCE near5 different)	169	<u>L17</u>
<u>L16</u>	disk same controller same (interfaCE with different)	429	<u>L16</u>
<u>L15</u>	disk same controller same ((interfaCE near2 type) with different)	5	<u>L15</u>
<u>L14</u>	L13 not l11	1	<u>L14</u>
<u>L13</u>	disk same controller same (interfaCE near2 type with different)	5	<u>L13</u>
DB=P	GPB,USPT; PLUR=NO; OP=ADJ		
<u>L12</u>	disk same controller same (interfaCE near2 type with different)	5	<u>L12</u>
<u>L11</u>	disk same controller same L10	4	<u>L11</u>
<u>L10</u>	different near5 L9	551	<u>L10</u>
<u>L9</u>	interfaCE near2 type	16731	<u>L9</u>
<u>L8</u>	(20020062387 or (6449709 or 5812754).pn.) and 17	3	<u>L8</u>
<u>L7</u>	12 or L5	5	<u>L7</u>
DB=Pc	GPB; PLUR=NO; OP=ADJ		
<u>L6</u>	12 or L5	2	<u>L6</u>
<u>L5</u>	20020062387 or 20020062454	2	<u>L5</u>
<u>L4</u>	yatziv.in.	3	<u>L4</u>
<u>L3</u>	2002062387 or 2002062454	0	<u>L3</u>
DB=Pe	GPB,USPT; PLUR=NO; OP=ADJ		
<u>L2</u>	2002062387 or 2002062454 or (6449709 or 5822782 or 5812754).pn.	3	<u>L2</u>
DB=PC	GPB; PLUR=NO; OP=ADJ		
<u>L1</u>	20040236908	1	<u>L1</u>